

Team Name:	Number:	Hull ID:	UIM Boat Length:
-------------------	----------------	-----------------	-------------------------

Race Numbers (Port, Starboard, Deck)		
National Flag		
Event Decals (UIM, APBA, Ocean Cup, Pacific Airshow)		

HULL	PASS	
-------------	-------------	--

Deck Fittings & Hatches		2.1.J All boats must have guard rails or handholds as rails or handles raised above the deck of a suitable material or wire in stanchions.
Lifting Points		2.1.G Teams should ensure that their boat has fixed lifting points. The lifting positions of the boat for emergency must be clearly marked
Bow Eye		2.1.L All vessels must be fitted with a properly designed towing point of adequate construction and strength for the boat to be towed when waterlogged .
Fenders		2.1.L Each boat should carry sufficient fenders and warps as to be able to dock or raft independently in port.
Non-Skid		2.1.K Sufficient material to be able to reach stowed equipment and attach a towing line to the towing point whilst at sea.
Navigation Lights		2.1.O Navigation lights in working order shall be carried in accordance with International Rules for the Prevention of Collisions at Sea.
Strobe Light		2.1.P All boats shall have a White or Orange High Intensity Strobe Light (cockpit only)
Engine Mountings		506.4.5 Engine mountings shall be sound and the mounting bolts securing to the hull shall be pinned or lock- nutted
Bilge Pumps - Automatic		2.1.I Suitable and automatic bilge pumps shall be fitted to the boat capable of pumping out all sections of the boat.
Multi-engines Tie Bar		506.4.4 Boats with more than one outboard engine or outdrive must have a properly engineered tie-bar system.
Buoyancy		2.1.H It is recommended that boats should have enough buoyancy in the boat or in the material used for its construction to ensure that the boat floats if capsized or holed.

COCKPIT	PASS	
----------------	-------------	--

Windshield Visibility		Ensure windshield is clear
Seat Belts/Restraint System		506.3.6 Seat belt mounts must be of appropriate strength and position. Release mechanism must be in good working condition. No seat belts are permitted in open boats.
Steering Wheel & Cockpit Egress		508.22 A quick release steering wheel may be fitted on a boat with personal restraints, but all drivers must be able to exit the cockpit without removing the steering wheel.
Navigation System Type: _____		Any type of navigation equipment is allowed
Fixed VHF Radio - Channel 78 - Test Ship to Shore: Y N Model: _____		2.1.D All competing boats must carry a fixed VHF transceiver with an aerial output of not less than 25 watts and pass SWR (standing wave ratio) and power check.
Cockpit Lighting		508.26 Each Reinforced Cockpit Area shall have one or more water activated light(s) or similar. Glow Sticks
Carbon Monoxide Sensors		506.3.4 Carbon monoxide sensors and alarms must be fitted in all reinforced cockpits boats.
Engine cut-off Kill Switch Battery Isolator Switches		2.1.S Batteries shall be housed in ventilated compartments, mounted upon a secure and solid platform and be fitted with an isolator switch
Automatic Fire Extinguisher(s)		2.1.E All boats with inboard engines shall carry a fixed automatic fire extinguishing system.
Manual Fire Extinguishers Type: _____ Expiry Date: _____		2.1.E All boats, including inboards, shall carry a minimum of 2 fully charged dry powder 2kg fire extinguishers.

Team Representative:	Date:	Inspector:
-----------------------------	--------------	-------------------

Team Name:

Number:

Hull ID:

UIM Boat Length:

EMERGENCY

PASS

EPIRB

Serial Number: _____

2.1.A It is recommended that an EPIRB operating on 406 MHz be carried and stowed in an easily accessible position. Required for courses which are more than 25 miles offshore.

Life Raft

Model: _____

Serial Number: _____

Expiry Date: _____

2.1.C A certified and in date Life Raft(s) suitable for the maximum number of persons on board shall be carried along with the full safety equipment appropriate for the planned passage. The life raft shall be stowed in an easily accessible position so that in the event of emergency the life raft can be quickly released, particularly in the event of fire.

Flares - waterproof canister

Make: _____

Quantity: _____

Expiry Date: _____

2.1.F All boats must carry a minimum of 2 approved flares/ smoke for emergency signaling. If any flares are deployed they must be replaced before the start of the next leg.

GPS Tracker

2.1.B All competing boats may be required to carry trackers supplied by Event Management which will assist control with an online map showing the positions

VHF Handheld Radio - Channel 78

2.1.D A multi-channel waterproof hand held VHF radio, which should be carried by one crew member at all times.

Sea Anchor

2.1.M A sea anchor with adequate anchor lines must be carried at all times and shall be properly stowed in an accessible place.

Tow Line

2.1.V Minimum 100 feet

RADAR Reflector

2.1.U It is recommended that all boats carry a RADAR reflector suitable for the boat or a Search & Rescue Transponder – SART.

Manual Bilge Pump

2.1.I There shall also be at least one manual bilge pump in the boat.

First Aid Kit

2.1.T All boats shall carry an adequate medical kit to include 1 x foil blanket + thermal protective aids for each crew member.

Torch

2.1.R All boats shall carry a powerful torch. (Flashlight)

Fog Horn

2.1.Q All boats shall carry an efficient fog horn. (Air Horn)

Orange Retirement Flag

Compass

2.1.N.1 All boats must be equipped with a liquid filled magnetic compass (handheld or fixed).

Satellite Phone

Phone Number: _____

2.1.D It is highly recommended if areas of the course are out of range for VHF communications that an operational satellite telephone be carried on board. Some events may require satellite telephones, this decision will be made by the organisers prior to the event.

Charts/Back-up Navigation System

Nautical Almanac

Emergency Grab Bag - Waterproof

fresh water

day and night flares

signaling mirror & whistle

knife, first aid kit and thermal protective aids

medical cards, passports, money, and credit cards

2.1.W An emergency, waterproof grab bag should be carried on board in an easy-to-reach position in case of emergency.

Team Representative:

Date:

Inspector:

Team Name:	Number:	Hull ID:	UIM Boat Length:
-------------------	----------------	-----------------	-------------------------

Boat : **Open Cockpit** | **Enclosed Cockpit** | **Center Console**

Pilot Name:			
Notes: 		Pass	Pilot's Certificates
			VHF License Expiry: _____
			First Aid Certificate Expiry: _____
			Sea Survival Certificate Expiry: _____
			Pilot's Personal Equipment
			Helmet Brand: _____
			Type: _____
			Date: _____
			Life Jacket Brand: _____
			Type: _____
		Date: _____	
		Air Tanks Cl: _____ PSI: _____ VIP YY/MM: _____	
		<i>(Enclosed Cockpit Only)</i> Expiry: _____	

Pilot Name:			
Notes: 		Pass	Pilot's Certificates
			VHF License Expiry: _____
			First Aid Certificate Expiry: _____
			Sea Survival Certificate Expiry: _____
			Pilot's Personal Equipment
			Helmet Brand: _____
			Type: _____
			Date: _____
			Life Jacket Brand: _____
			Type: _____
		Date: _____	
		Air Tanks Cl: _____ PSI: _____ VIP YY/MM: _____	
		<i>(Enclosed Cockpit Only)</i> Expiry: _____	

Team Representative:	Date:	Inspector:
-----------------------------	--------------	-------------------